



NORTHCOTT
Cottons that feel like silk

CONNECTOR PLAYMATS

BY DEBORAH EDWARDS



OPTION 1



OPTION 2



OPTION 3

FREE PATTERN • **Busy Town** • 67½" x 94" • By Elaine Theriault for Northcott

Northcott Canada
101 Courtland Avenue
Vaughan, Ontario L4K 3T5



Northcott USA
1099 Wall St. West, Suite 250
Lyndhurst, NJ 07071


www.northcott.com

Busy Town

Finished Size: 67.5 by 94 inches

WOF = width of fabric

Fabric requirements	Meters	Cutting Instructions
Fabric A - #21471-72 Race Track Panel	1 panel	<ul style="list-style-type: none"> Fussy cut the panel so it measures 23 ½" high by 43" wide.
Fabric B - #21474-72 Construction Panel	1 panel	<ul style="list-style-type: none"> Fussy cut the panel so it measures 23 ½" high by 43" wide.
Fabric C - #21136-72 Around Town Panel	1 panel	<ul style="list-style-type: none"> Fussy cut the panel so it measures 23 ½" high by 43" wide.
OPTION 1 Around Town border ColorWorks – Royal #9000-45 Inner border and binding Around town border print #21137-72	1 ½ yards 3 yards	<ul style="list-style-type: none"> Cut 7 strips measuring 3" by WOF <ul style="list-style-type: none"> Join end to end using a diagonal seam (for inner border) Cut 9 strips measuring 2 ½" by WOF <ul style="list-style-type: none"> Join end to end using a diagonal seam (for binding) Fussy cut two strips measuring approximately 100" long by 10 ½". Fussy cut two strips measuring approximately 70" long by 10 ½". 
OPTION 2 Construction Border ColorWorks – Royal #9000-45 Borders and binding	2 ½ yard 2 ¾ yards	<ul style="list-style-type: none"> Cut 7 strips measuring 4" by WOF <ul style="list-style-type: none"> Join end to end using a diagonal seam (for inner border) Cut 8 strips measuring 4" by WOF <ul style="list-style-type: none"> Join end to end using a diagonal seam (for outer border) Cut 9 strips measuring 2 ½" by WOF <ul style="list-style-type: none"> Join end to end using a diagonal seam (for binding) Fussy cut two strips measuring approximately 93" long by 6" Fussy cut two strips measuring approximately 64" long by 6" 

<p>OPTION 3 Race Car Border ColorWorks – Royal #9000-45 Borders and binding</p> <p>Race Car border print #21472-42</p>	<p>2 ½ yards</p> <p>2 ¾ yards</p>	<ul style="list-style-type: none"> • Cut 7 strips measuring 4” by WOF <ul style="list-style-type: none"> • Join end to end using a diagonal seam (for inner border) • Cut 8 strips measuring 4” by WOF <ul style="list-style-type: none"> • Join end to end using a diagonal seam (for outer border) • Cut 9 strips measuring 2 ½” by WOF <ul style="list-style-type: none"> • Join end to end using a diagonal seam (for binding) • Fussy cut two strips measuring approximately 93” long by 6” • Fussy cut two strips measuring approximately 64” long by 6” 
<p>Fabric G - #21138-42 Tossed cars – (backing)</p>	<p>5 ¾ yards</p>	<p>Pieced lengthwise</p>

Assembly:

Center section: Join the three panels together along the long sides, carefully matching where the roads meet. The panels can be assembled in any order as the roads were designed to interconnect with each other on all four sides. The center should measure approximately 43” by 69 ½”. (See note below.)

Inner border: Using the strips cut from ColorWorks #9000-45, cut two border strips measuring 69 ½” long or the length that corresponds to the length of your quilt. Sew a border strip to either side of the center section. Press towards the border. Cut two more border strips for the top and bottom that correspond to the width of your quilt and sew them to the top and bottom. Note the size of borders varies depending on which option you have chosen.

Themed border: Using the appropriate border print, sew on the themed border using a mitered corner. If you prefer, make a straight butted corner (sew the side borders on first and then the top and bottom).

Outer border: If you are sewing Option 2 or Option 3, the final outer border will be added the same way that the inner border was added.

NOTE: It is best to NOT prewash preprinted fabrics such as panels and border prints. The fabric goes through many processes to be delivered to the consumer and there may be some size variations. If you’re unable to cut the panels to the size mentioned above, cut the pieces to a size that works for your panels and adjust any other measurements accordingly.