



FREE PATTERN • **Ketan Table Topper** • Approx. 21" x 21"
by Elaine Theriault for Banyan Batiks

Northcott Canada
101 Courtland Avenue
Vaughan, Ontario L4K 3T5

Northcott USA
1099 Wall St. West, Suite 250
Lyndhurst, NJ 07071

www.banyanbatiks.com

Ketan Table Topper

Finished Size: 21" x 21"

WOF = width of fabric

Fabric requirements	Yards	Cutting Instructions
Fabric A: Ketan Fabric Pack BLUE: 81000-649, 81000-627, 81000-621, 81000-610, 81000-620 OR ORANGE: 81000-582, 81000-581, 81000-570, 81000-522, 81000-500 OR PINKS: 81000-280, 81000-230, 81000-215, 81000-210, 81000-200 OR PURPLES: 81000-860, 81000-841, 81000-840, 81000-810, 81000-830 OR RUST: 81000-386, 81000-384, 81000-377, 81000-371, 81000-370	Five – 5" squares	<ul style="list-style-type: none"> • Determine which square will be your center and cut the square into four 2 ½" squares • For each of the remaining four (4) five-inch squares, cut four (4) strips measuring 1 ¼" by 5". Sub cut each strip into 1 ¼" by 2" and 1 ¼" by 2 ¾" to get four pieces measuring 1 ¼" by 2" and 4 pieces measuring 1 ¼" by 2 ¾".
Fabric B: Background Blue: 81000-120 Orange: 81000-125 Pink: 81000-800 Purple: 81000-800 Rust: 81000-120	⅝ yard	<ul style="list-style-type: none"> • Cut four (4) strips measuring 1 ¼" by wof <ul style="list-style-type: none"> • Sub cut the following lengths from the strips: <ul style="list-style-type: none"> • Four (4) at 15" • Four (4) at 11 ½" • Four (4) at 8" • Four (4) at 4 ½" • Cut eight (8) strips measuring 1 ½" by wof <ul style="list-style-type: none"> • Sub cut the following lengths from the strips: <ul style="list-style-type: none"> • Two (2) at 21 ½" • Two (2) at 19 ½" • Two (2) at 18" • Two (2) at 16" • Two (2) at 14 ½" • Two (2) at 12 ½" • Two (2) at 11" • Two (2) at 9" • Two (2) at 7 ½" • THREE (3) at 5 ½" • Two (2) at 2 ½"
Fabric C: Binding	¾ yard	<ul style="list-style-type: none"> • Cut three (3) strips measuring 2 ½" by wof <ul style="list-style-type: none"> • Join end to end using a diagonal seam for the binding
Backing	¾ yard	

Use ¼" Seam Allowance

The center: Sew a 1 ½" by 2 ½" rectangle (background) between two of the center squares. Do that twice. Then sew a 1 ½" by 5 ½" rectangle (background) between the two halves. Center block should measure 5 ½" square.

Plain Border: Sew a 1 ½" by 5 ½" (background) to either side of the block. Press towards the plain border. Sew a 1 ½" by 7 ½" (background) to either side of the block. Block should measure 7 ½".

Pieced border: Sew a 2" piece of the next round of color to both ends of two of the 4 ½" strips of background. Sew to the sides of the block. Add the 2 ¾" colored rectangles to the other two 4 ½" lengths and sew to the top and bottom. Press towards the solid border. Block should measure 9".

Plain Border: See instructions above and use the 9" and 11" pieces of background. Block should measure 11".

Pieced border: Sew a 2" piece of the next round of color to both ends of two of the 8" strips of background. Sew to the sides of the block. Add the 2 ¾" colored rectangles to the other two 8" lengths and sew to the top and bottom. Press towards the solid border. Block should measure 12 ½".

Plain Border: See instructions above and use the 12 ½" and 14 ½" pieces of background. Block should measure 14 ½".

Pieced Border: Sew a 2" piece of the next round of color to both ends of the 11 ½" piece of background. Sew to the sides of the block. Add the 2 ¾" colored rectangles to the other 11 ½" lengths and sew to the top and bottom. Press towards the solid border. Block should measure 16".

Plain Border: See instructions above and use the 16" and 18" pieces of background. Block should measure 18".

Pieced Border: Sew a 2" piece of the next round of color to both ends of the 15" piece of background. Sew to the sides of the block. Add the 2 ¾" colored rectangles to the other 15" length and sew to the top and bottom. Press towards the solid border. Block should measure 19 ½".

Plain Border: See instructions above and use the 19 ½" and the 21 ½" pieces of background. Block should measure 21 ½".

NOTE: It is best to NOT prewash preprinted fabrics such as panels and border prints. The fabric goes through many processes to be delivered to the consumer and there may be some size variations. If you're unable to cut the panels/border prints to the sizes mentioned above, cut the pieces to a size that works for your panels and adjust any other measurements accordingly.