

Dash Lanes

Quilt Inspired Backgrounds

FREE DOWNLOAD PATTERN

74" x 86"



Designed by Banyan Batiks Studio
www.BanyanBatiks.com

DASH LANES

Pastel Colorway

for Banyan Batiks' *Quilt Inspired Backgrounds* Collection

Finished Size: 74" x 86"

WOF = width of fabric

LOF = length of fabric

All seams are sewn at 1/4"

Fabric	Yardage	Cutting Instructions
A – 80912-12 (Background)	2 5/8 yds	<ul style="list-style-type: none"> Cut 3 – 6 1/2" x WOF strips <ul style="list-style-type: none"> Sub-cut 14 – 6 1/2" x 6 1/2" squares and 7 – 6 1/2" x 4 1/2" rectangles From remaining fabric, Cut 10 – 3 1/2" x LOF strips (for vertical rows & inner border)
B – 80910-27	1/2 yd	<ul style="list-style-type: none"> Cut 2 – 6 1/2" x WOF strips <ul style="list-style-type: none"> Sub-cut 2 – 6 1/2" x 28 1/2" rectangles and 1 – 6 1/2" x 14 1/2" rectangle
C – 80911-81 & D – 80912-92	1/2 yd each	From each fabric, <ul style="list-style-type: none"> Cut 2 – 6 1/2" x WOF strips <ul style="list-style-type: none"> From each strip, sub-cut 1 – 6 1/2" x 28 1/2" rectangle and 1 – 6 1/2" x 14 1/2" rectangle
E – 80912-52	1/2 yd	<ul style="list-style-type: none"> Cut 2 – 6 1/2" x WOF strips <ul style="list-style-type: none"> From one strip, sub-cut 1 – 6 1/2" x 28 1/2" rectangle From the second strip, sub-cut 2 – 6 1/2" x 14 1/2" rectangles
F – 81600-56 (Banyan BFFs)	1/2 yd	<ul style="list-style-type: none"> Cut 2 – 6 1/2" x WOF strips <ul style="list-style-type: none"> Sub-cut 4 – 6 1/2" x 14 1/2" rectangles
G – 80911-66 (includes Outer Border & Binding)	2 yds	<ul style="list-style-type: none"> Cut 1 – 6 1/2" x WOF strip <ul style="list-style-type: none"> Sub-cut 3 – 6 1/2" x 14 1/2" rectangles Cut 8 – 4 1/2" x WOF strips (for outer border) Cut 9 – 2 1/4" x WOF strips (for binding)
E – 80910-65 (Lengthwise Backing)	5 1/2 yds	<ul style="list-style-type: none"> Cut in half x WOF to get 2 – 100" pieces (approx.) Sew the two pieces together along the selvage edges to get a backing piece measuring approximately 86" x 100"

Assembly of Vertical Rows

1. Follow the chart below and refer to the finished quilt image to assemble seven vertical rows:

ROW 1	ROW 2	ROW 3	ROW 4	ROW 5	ROW 6	ROW 7
Fabric C 6 ½" x 28 ½"	Fabric A 6 ½" x 4 ½"	Fabric D 6 ½" x 28 ½"	Fabric A 6 ½" x 4 ½"	Fabric C 6 ½" x 28 ½"	Fabric A 6 ½" x 4 ½"	Fabric D 6 ½" x 28 ½"
Fabric A 6 ½" x 6 ½"	Fabric E 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric B 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric E 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"
Fabric F 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric F 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric F 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric F 6 ½" x 14 ½"
Fabric A 6 ½" x 6 ½"	Fabric G 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric G 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric G 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"
Fabric D 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric C 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric D 6 ½" x 14 ½"	Fabric A 6 ½" x 6 ½"	Fabric C 6 ½" x 14 ½"
Fabric A 6 ½" x 4 ½"	Fabric B 6 ½" x 28 ½"	Fabric A 6 ½" x 4 ½"	Fabric E 6 ½" x 28 ½"	Fabric A 6 ½" x 4 ½"	Fabric B 6 ½" x 28 ½"	Fabric A 6 ½" x 4 ½"

Completing the Quilt Top

2. Trim 8 – 3 ½ x LOF Fabric A strips to 72 ½".
3. Starting and ending with a Fabric A strip, sew vertical rows together (Row 1, Row 2...), adding a Fabric A strip between each row. Note direction of each strip by referring to the finished quilt image.
4. Trim the remaining Fabric A strips to 66 ½" and sew to the top and bottom of the quilt top.
5. Join the 8 – 4 ½" x WOF Fabric B strips together end to end. From this long strip, cut 2 – 4 ½" x 78 ½" border strips and sew to each side of the quilt top. Then cut 2 – 4 ½" x 74 ½" border strips and sew to the top and bottom of the quilt top.

Finishing the Quilt

6. To prepare binding, join the Fabric B binding strips end to end using diagonal seams. Fold in half wrong sides together along the length of the strip and press.
7. Layer quilt top with batting and backing. Quilt as desired. Bind using your favorite method.