

Churn Around

FREE DOWNLOAD PATTERN

74" x 98"



BANYAN
BATIKS
STUDIO









Designed by Banyan Batiks Studio
www.BanyanBatiks.com

Rev. 03/2023

Churn Around

Featuring the **Flower Petals** Collection by Banyan Batiks
Finished Size 74" x 98"

All seams are sewn using a ¼" seam allowance
WOF = width of fabric

Fabric Requirements	Yardage	Cutting Instructions
Fabric A 80760-48 	1 3/8 yds	Cut 2 – 4 ½" x WOF strips ➤ Sub-cut 18 – 4 ½" squares (for Block 1) Cut 8 – 4 ½" x WOF strips (for Outer Border)
Fabric B 80761-44 	1 5/8 yds	Cut 7 – 1 ⅞" x WOF strips (for Block 1 & 2) Cut 7 – 2 ½" x WOF strips (for Inner Border) Cut 9 – 2 ½" x WOF strips (set aside for binding)
Fabric C 80761-53 	1 yd	Cut 14 – 1 ⅞" x WOF strips (for Block 1 & 2)
Fabric D 80763-61 	1/2 yd	Cut 7 – 1 ⅞" x WOF strips (for Block 1 & 2)
Fabric E 80764-63 	7/8 yd	Cut 3 – 7" x WOF strips ➤ Sub-cut 18 – 7" squares (for Block 1) Cut 2 – 1 ⅞" x WOF strips (for Block 2)
Fabric F 81230-59 	1 1/8 yds	Cut 6 – 3 ¼" x WOF strips ➤ Sub-cut 72 – 3 ¼" squares; cut each square once on the diagonal (for Block 1) Cut 2 – 1 ⅞" x WOF strips (for Block 2) Cut 8 – 1 ½" x WOF strips (for middle Border)
Fabric G 81600-30 	3 1/4 yds	Cut 3 – 7" x WOF strips ➤ Sub-cut 18 – 7" squares (for Block 1) Cut 19 – 3 ¼" x WOF strips ➤ Sub-cut 72 – 3 ¼" squares; cut each square once on the diagonal (for Block 1) ➤ Sub-cut 170 – 3 ¼" squares; cut each square once on the diagonal (for Block 2) Cut 6 – 4 ½" x WOF strips ➤ Sub-cut 68 – 4 ½" squares (for Block 2)
Lengthwise Backing 80764-63 	7 1/2 yds	Cut fabric in half along the length to get 2 – 3 ¾ yd pieces. Sew pieces together along the selvage edges to get a backing piece measuring approximately 85" x 134".

BLOCK 1 (Churn Dash Chain)






HST Unit:

1. Pair each Fabric E 7" square with a Fabric G 7" square.
2. With right sides together, sew a $\frac{1}{4}$ " seam around the outer edges.
3. Cut on both diagonals to get four pieces. Open and press to the dark fabric.
4. Repeat to make 72 HST Units.



Square-in-a-Square 4-Patch Unit A:

1. Sew a Fabric B $1\frac{1}{8}$ " x WOF strip together with a Fabric C $1\frac{1}{8}$ " x WOF strip to create a B-C strip set. Press toward the dark fabric. Repeat to make a total of 7 B-C strip sets.
2. Sub-cut the B-C strip sets into $140 - 1\frac{1}{8}$ " x $3\frac{1}{4}$ " 2-Patch Units (for Block 1 & 2).
3. Sew a Fabric C $1\frac{1}{8}$ " x WOF strip together with a Fabric D $1\frac{1}{8}$ " x WOF strip to create a C-D strip set. Press toward the dark fabric. Repeat to make a total of 7 C-D strip sets.
4. Sub-cut the C-D strip sets into $140 - 1\frac{1}{8}$ " x $3\frac{1}{4}$ " 2-Patch Units (for Block 1 & 2).
5. Sew a B-C 2-Patch Unit together with a C-D 2-Patch Unit, turning one unit in the opposite direction to create a BCD 4-Patch Unit.




6. Sew a Fabric F triangle on the top and right edges of the 4-Patch Unit, lining up the long edge of the triangle with the edges of the 4-Patch and centering the triangle point to the center seam of the 4-patch. Press triangles out after each is added.
7. Sew a Fabric G triangle on the bottom and left edges of the 4-Patch Unit in the same manner to complete the Square-in-a-Square 4-Patch Unit A. Trim unit to $4\frac{1}{2}$ " x $4\frac{1}{2}$ ".
8. Repeat to make a total of 140 Square-in-a-Square 4-Patch Unit A's. (70 for Block 1 & 70 for Block 2).



Block 1 Assembly:

1. Lay out four HST Units and four Square-in-a-Square 4-Patch Unit A's with a Fabric A $4\frac{1}{2}$ " square as shown below.
2. Sew units together into rows. Then sew rows together to complete Block 1. Repeat to make a total of 18 Block 1's.



BLOCK 2 (Connector Chains)




Square-in-a-Square 4-Patch Unit B:

1. Sew a Fabric E $1\frac{7}{8}$ " x WOF strip together with a Fabric F $1\frac{7}{8}$ " x WOF strip to create an E-F strip set. Press toward the dark fabric. Repeat to make a total of two E-F strip sets.
2. Sub-cut the E-F strip sets into 34 – $1\frac{7}{8}$ " x $3\frac{1}{4}$ " 2-Patch Units.
3. Sew two E-F 2-Patch Units together, turning one unit in the opposite direction to create an EF 4-Patch Unit.
4. Sew a Fabric G triangle on the top and bottom edges of the 4-Patch Unit, lining up the long edge of the triangle with the edges of the 4-Patch and centering the triangle point to the center seam of the 4-patch. Press triangles out.
5. Sew a Fabric G triangle on the right and left edges of the 4-Patch Unit in the same manner to complete the Square-in-a-Square 4-Patch Unit B. Trim unit to $4\frac{1}{2}$ " x $4\frac{1}{2}$ ".
6. Repeat to make a total of 17 Square-in-a-Square 4-Patch Unit B's.




Block 2 Assembly:

1. Lay out four Square-in-a-Square 4-Patch Unit A's and one Square-in-a-Square 4-Patch Unit B with four Fabric G $4\frac{1}{2}$ " squares as shown below.
2. Sew units together into rows. Then sew rows together to complete Block 2. Repeat to make a total of 17 Block 2's.



QUILT TOP ASSEMBLY

1. Lay out blocks in seven rows of five blocks each, alternating Block 1 & 2 as shown below.



2. Sew Blocks together into rows. Then sew rows together to complete the quilt center.
3. Join the 7 – 2 ½” Fabric B inner border strips end to end. From the long strip, cut 2 – 2 ½” x 84 ½” strips and add to each side of the quilt top. Press toward the border. Then cut 2 – 2 ½” x 64 ½” strips and add to the top & bottom of the quilt top. Press toward the border.
4. Join the 8 – 1 ½” Fabric F middle border strips end to end. From the long strip, cut 2 – 1 ½” x 88 ½” strips and 2 – 1 ½” x 66 ½” strips. Add to the quilt top in the same manner as in Step 3.
5. Join the 8 – 4 ½” Fabric A outer border strips end to end. From the long strip, cut 2 – 4 ½” x 90 ½” strips and 2 – 4 ½” x 74 ½” strips. Add to the quilt top in the same manner as in Step 3.
6. Join the nine Fabric B binding strips using diagonal seams. Fold in half along the length of the strip with wrong sides together and press.
7. Layer quilt top with batting and prepared backing. Quilt as desired.
8. Bind using your favorite method.