


# City Strips

FREE DOWNLOAD PATTERN

64" x 78"



BANYAN  
BATIKS  
STUDIO

Designed by Banyan Batiks Studio  
[www.BanyanBatiks.com](http://www.BanyanBatiks.com)

# City Strips

64" x 78"

CONFIDENT BEGINNER LEVEL

Pattern uses fabrics from Banyan Batiks Rock City, Shadows and Ketan fabric collections.

**NOTE:** Skus are listed for the gold/green version first; topaz/cream version last.

	Gold/ Green	Topaz/ Cream	YDS
Fabric A:	80183-78 <i>(includes border &amp; binding)</i>	80183-52 <i>(includes border &amp; binding)</i>	2
Fabric B:	80185-52	80181-32	$\frac{2}{3}$
Fabric C:	80180-53	80184-22	$\frac{5}{8}$
Fabric D:	81300-53	80180-58	$\frac{1}{2}$
Fabric E:	80182-77	81000-370	$\frac{1}{2}$
Fabric F:	80182-52	80180-59	$\frac{1}{2}$
Fabric G:	80180-52	80185-35	$\frac{1}{2}$
Fabric H:	81300-74	80181-59	$\frac{1}{2}$
Fabric I:	80181-78	80182-37	$\frac{5}{8}$
Fabric J:	81300-57	81300-35	1 $\frac{1}{4}$
Backing of choice (lengthwise seam)	4 $\frac{7}{8}$		

**Other requirements:**

72" x 86" batting and neutral-color thread for piecing



# City Strips

64" x 78"


## CUTTING INSTRUCTIONS

- WOF is width of fabric from selvage edge to selvage edge. LOF is length of fabric, parallel to the selvages. Remove as little fabric as possible when trimming selvages and squaring edges.

Fabric A	<ul style="list-style-type: none"> <li>• 2 strips 8 3/4" x LOF from edge border sections; trim to 64 1/2" for top/bottom borders.</li> <li>• 2 strips 2 3/4" x LOF; cut into (4) 35" lengths.</li> <li>• 5 strips 2 1/4" x LOF for binding.</li> </ul>
Fabric B	<ul style="list-style-type: none"> <li>• 4 strips 4 1/2" x WOF; trim to 38" lengths.</li> </ul>
Fabric C	<ul style="list-style-type: none"> <li>• 4 strips 3 3/4" x WOF; trim to 24 1/2" lengths.</li> </ul>
Fabric D	<ul style="list-style-type: none"> <li>• 4 strips 2 3/4" x WOF; trim to 27 1/2" lengths.</li> </ul>
Fabric E	<ul style="list-style-type: none"> <li>• 4 strips 3 1/4" x WOF; trim to 29 1/2" lengths.</li> </ul>
Fabric F	<ul style="list-style-type: none"> <li>• 4 strips 3" x WOF; trim to 32" lengths.</li> </ul>
Fabric G	<ul style="list-style-type: none"> <li>• 4 strips 3" x WOF; trim to 35" lengths.</li> </ul>
Fabric H	<ul style="list-style-type: none"> <li>• 4 strips 3" x WOF; trim to 26 1/2" lengths.</li> </ul>
Fabric I	<ul style="list-style-type: none"> <li>• 5 strips 3" x WOF.</li> </ul>
Fabric J	<ul style="list-style-type: none"> <li>• 4 strips 1 1/2" x WOF; cut into 4 each 1 1/2" x 32" strips, 1 1/2" x 4" strips and 1 1/2" x 3" strips.</li> <li>• 21 strips 1 1/4" x WOF.</li> </ul>
Baking Fabric	<ul style="list-style-type: none"> <li>• 2 strips 86" x WOF.</li> </ul>

## PIECING THE SASHING & STRIP SECTIONS

1. Sew the 3" x WOF I strips short ends together to make a long strip. Press seams to one side. Cut into (3) 62" strips.
2. Repeat step 1 with the 1 1/4" x WOF J strips and cut into (10) 62" strips, (4) 29 1/2" strips and (4) 24 1/2" strips.
3. Sew a 1 1/4" x 24 1/2" J strip to one long side of a 24 1/2" C strip. Press seam toward C. Sew a 38" B strip to the top to complete one 4 1/2" x 62" Row 1. Press seam toward B. Repeat to make four Row 1's.




**NOTE:** Use a 1/4" seam allowance for all piecing. Diagrams are shown for the gold/green version of the quilt. The topaz/cream quilt is made in the same way.

4. Sew a 27 1/2" D strip to the top of a 35" A strip. Press seam toward A. Stitch a 1 1/4" x 62" J strip to one long side to make one 3 1/2" x 62" Row 2. Press seam toward J. Repeat to make four Row 2's.
5. Sew a 1 1/4" x 29 1/2" J strip to one long side of a 29 1/2" E strip. Press seam toward E. Sew a 1 1/2" x 32" J strip to one long side of a 32" F strip. Press seam toward F. Sew a 1 1/2" x 4" J strip between the pieced strips to make one 4" x 62" Row 3. Press seam toward the J strip. Repeat to make four Row 3's.
6. Sew a 1 1/2" x 3" J strip between a 35" G strip and 26 1/2" H strip to complete one 3" x 62" Row 4. Press seams toward the J strip. Repeat to make four Row 4's.
7. Join one each Rows 1–4 to complete one 13 1/2" x 62" strip section. Press seams to one side. Repeat to make four strip sections.
8. Sew a 62" J strip to each long side of the 62" I strips. Press seams toward the I strips to make three 4 1/2" x 62" sashings.

## COMPLETING THE QUILT

### EXPLODED QUILT DIAGRAM:



**NOTE:** Refer to the exploded quilt diagram throughout the following steps.

1. Sew the strip sections alternately together with the sashings to complete the 64 1/2" x 62" quilt center, turning the second and fourth strip sections top to bottom. Press seams toward the sashing sections.
2. Sew an 8 3/4" x 64 1/2" A border strip to the top and bottom of the quilt center to complete the top. Press seams toward the border strips.
3. Remove the selvage edges from the backing pieces. Sew together on the long edges with a 1/2" seam allowance. Press seam open. Trim to make a 72" x 86" backing piece.
4. Layer the top with the backing and batting pieces. Quilt as desired. Trim edges even with the top.
5. Prepare Fabric A binding and bind edges using your favorite method to complete the quilt.