





## **GOING UP!**

53 ½" x 66 ½" FREE PATTERN • Available at www.northcott.com Designed by Northcott Studio

## **Going Up!**

Collection: Color Collage Finished Size: 53 ½" x 66 ½" WOF = Width of Fabric HST = Half Square Triangle All seams are sewn using a ¼" seam allowance

Fabric SKU #		Yardage	Cutting Instructions
Fabric A			Cut 2 – 14" x WOF strips
DP22411Pair-44		7/8 yd	<ul> <li>Sub-cut 4 – 14" squares</li> </ul>
Fabric B			Cut 1 – 14" x WOF strip
DP22412-74		1/2 yd	<ul> <li>Sub-cut 1 – 14" square</li> </ul>
Fabric C			Cut 1 – 14" x WOF strip
DP22413-52		1/2 yd	<ul> <li>Sub-cut 3 – 14" squares</li> </ul>
Fabric D			Cut 2 – 14" x WOF strips
DP22415-54		7/8 yd	<ul> <li>Sub-cut 4 – 14" squares</li> </ul>
Fabric E	No. 201		Cut 2 – 14" x WOF strips
DP22416-24		7/8 yd	<ul> <li>Sub-cut 4 – 14" squares</li> </ul>
Fabric F			Cut 1 – 14" x WOF strip
DP22417-84		7/8 yd	<ul> <li>Sub-cut 3 – 14" squares</li> </ul>
			Cut 6 – 2 ¼" x WOF strips (Set aside for Binding)
Fabric G			Cut 1 – 14" x WOF strip
DP22418-22		1/2 yd	<ul> <li>Sub-cut 1 – 14" square</li> </ul>
Crosswise Backing			Cut the length of fabric in half to get 2 – 72" x WOF
DP22411-44	14 m	4 yds	pieces. With right sides together, join the two pieces
			across the selvage edges for a backing piece
			measuring approximately 72" x 85"

## HST Assembly:

1. Lay out the 14" squares in pairs as follows:

1 – Fabric B & C pair	2 – Fabric E & F pairs
2 – Fabric C & D pairs	2 – Fabric F & G pairs
2 – Fabric D & E pairs	1 – Fabric G & H pair

2. For each pair, draw a line horizontally from corner to corner on the wrong side of one square. With right sides together, sew ¼" from either side of the line. Cut on the drawn line to yield two HST blocks. Open the fabric pieces and press the seams to one side.

## Quilt Top Assembly:

1. Once all HST blocks are made, arrange the blocks as shown below. Sew blocks together in rows of four, then sew rows together to complete the quilt top.



- 2. Join the Fabric F binding strips using diagonal seams. Fold in half along the length of the strip and press.
- 3. Layer quilt top with batting and prepared backing. Quilt as desired. Bind using your favorite method.