



NORTHCOTT
Cottons that feel like silk

Heritage Quilting



by Kim Norlien and Northcott Studio

Quilt Show • 52" x 42"



Mini-quilts approx. 6" x 6" square



FREE PATTERN • by Elaine Theriault of Northcott

Northcott Canada
101 Courtland Avenue
Vaughan, Ontario L4K 3T5

Northcott USA
1099 Wall St. West, Suite 250
Lyndhurst, NJ 07071

www.northcott.com

Quilt Show

Finished Size: 52" W by 42"

wof = width of fabric

Fabric requirements	Yard	Cutting Instructions
Fabric A - #DP21927-12 Farm scene panel with mini quilts	1 panel	<ul style="list-style-type: none"> Carefully trim the farm scene portion of the panel to measure 20 ½" by 40 ½" Set aside the mini-quilts
Fabric B - #9000-29 ColorWorks – Burgundy Borders and binding	¾ yard	<ul style="list-style-type: none"> Cut six (6) strips measuring 1 ½" by WOF (borders) Cut five (5) strips measuring 2 ½" by WOF (binding) Join end to end using a diagonal seam
Fabric C - #21929-26 Circle motif - Inner top and bottom borders	⅝ yard	<ul style="list-style-type: none"> Cut two (2) strips measuring 4 ½" by WOF
Fabric D - #21932-68 Striped fabric Outer border	1 ¼ yard	<ul style="list-style-type: none"> Cut five (5) strips measuring 5 ½" by WOF
#21930-12 Vines - Backing	2 ¾ yards	<ul style="list-style-type: none"> Pieced vertically
Additional materials to complete the wall hanging		<ul style="list-style-type: none"> Thin batting or flannel for the mini-quilts A small piece of fusible web (4" by 4" is ample)
Additional materials to use the remainder of the mini-quilts		<ul style="list-style-type: none"> Batting or fusible fleece for the inside of the mini quilts Binding (if you choose to bind the mini-quilts) Backing (you should be able to use the leftovers from the wall hanging for the backings)

Assembly:

- Sew a 1 ½" strip of Fabric B to both long sides of a 4 ½" strip of Fabric C. Make two border strip sets.
- Trim these border strip sets to 40 ½" or the width of your panel.
- Match the center of the border strip set to the center of the panel. Pin both ends of the border to the edges of the panel. You may have to ease in the border or the quilt. Pin and stitch the top and bottom borders to the panel.
- Using a single strip of 1 ½" of Fabric B for each side, add the side borders. Start by measuring through the vertical center of the quilt including the borders you just added. Cut two border pieces, match the centers and the ends, pin, and sew to the sides of the panel.
- Using the striped print, sew on the outer border using a mitered corner. If you prefer, make a straight butted corner (sew the top and bottom borders on first and then the sides).

Applique: (instructions are for fusible applique – please follow manufacturer’s instructions for the fusible or you could hand applique the motif)

- From Fabric C, select a motif that you wish to applique to the barn.
- Cut a piece of fusible web that is large enough to cover the chosen motif.
- Fuse the fusible web to the wrong side of the motif and cut the motif out with a pair of sharp scissors.
- Fuse the motif to the right side of the panel just below the windows.
- Using your favourite applique stitch, stitch the motif in place or leave the edges unfinished.

Mini quilts

- Select the mini quilts you wish to hang on the fence.
- Fussy cut the quilts leaving a scant ¼" on all four sides.
- Using the mini-quilt top as a guide, cut a backing (leftovers from the wall hanging borders) for each mini-quilt that is the same size as the mini-quilt top.
- Layer a mini-quilt top right sides together with the appropriate sized backing. If you wish, place a layer of thin batting or flannel on the wrong side of the mini-quilt backing.
- With the mini-quilt top (wrong side showing) on top, stitch carefully around all four sides, leaving an opening to turn the mini quilt inside out. You'll be able to stitch right along the edge of the mini-quilt top if you position your layers as outlined above.
- Trim the corners and turn inside out.
- Stitch the opening closed by hand or use a thin strip of fusible web to fuse the opening.
- If you wish, you can do a bit of machine quilting on the quilts.
- Hand stitch the mini-quilts to the fence.

Bonus projects:

With the leftover mini-quilts, you can make mug rugs, pot holders or following the instructions above, use the quilts as decorative mini-quilts. Alternatively you could use the mini-quilts as blocks in a project including placemats, or a table runner. They can also be used as an applique on a tea towel.

Alternative binding:

If you don't want to turn the mini-quilts inside out, cut a thin strip of binding and bind the quilts as if they were a normal quilt.

NOTE: It is best to NOT prewash preprinted fabrics such as panels and border prints. Fabrics go through many manufacturing processes and there may be some size variations. If you're unable to cut the strips to the size mentioned above, cut the pieces to a size that works for your panels and adjust any other measurements accordingly.