Madison's Star





at BanyanBatiks.com
PLUS

A video tutorial on Youtube by Laura Coia of Sew Very Easy



Madison's Star

80" x 80"

CONFIDENT BEGINNER LEVEL

	YDS
Fabric A: 81000-850	1
Fabric B: *81000-1016 or 495	1
Fabric C: 81000-860	5/8
Fabric D: 81000-830	1/2
Fabric E: 81000-627	3/8
Fabric F: 81000-441	3/8
Fabric G: 81000-910	1/4
Background Fabric: 812023-10	3
Setting Square Fabric: 81000-440	2½
Outer Borders & Binding: 81000-860	1¾

Other requirements: Trifold Presentation board for template, Spray Starch and Matching thread

NOTE: This pattern also works well with two strip packs. This will provide lots of options for separating into groups, but there will be several unused strips. If you prefer not to have excess fabric, it is recommended to buy yardage as outlined above.

Recommended colorways: SKETAN40-636 – Mint Mocha SKETAN40-630 – Washed Ashore SKETAN40-280 – Pink Skies SKETAN40-1009 – Sugar Sprinkles

*Fabric B - 81000-1016 is available in stores July 2018. If not available, please substitute with 81000-495

Madison's Star


80" x 80"

CUTTING INSTRUCTIONS

	Strips	
Fabric A	14 - 2½" strips	
Fabric B	11 - 2½" strips + 2 - 1" strip	5
Fabric C	9 - 2½" strips	
Fabric D	7 - 2½" strips	
Fabric E	3 - 2½" strips + 2 - 1½" strip	S
Fabric F	3 - 2½" strips + 2 - 1½" strip	5
Fabric G	3 - 2½" strips	
Outer Borders	8 - 4½ strips	

• Cut the following strips out of the Background Fabric:

Strips	Size	
2	2½" x WOF	
2	6" x WOF	
4	5" x WOF	
2	5½" x WOF	
2	7" x WOF	
1	41/2" x WOF	



STRIP SETS

Arrange the Fabrics and Background Fabrics into the following strip set piles. Cut Strips down to necessary
width and sew together in order:

STRIP SET 1:

2½" Background Fabric

2½" Strip Fabric A

1" Fabric B (or cut 1 - 21/2" Strip into (2) 1" Strips, Discard 1/2")*

1" Fabric B

2½" Fabric A

21/2" Background

STRIP SET 2:

5" Background Fabric

21/2" Fabric A

2½" Fabric B

2½" Fabric B

21/2" Fabric A

5" Background

STRIP SET 3:

5" Background Fabric

21/2" Fabric A

2½" Fabric B

2½" Fabric C

21/2" Fabric C


2½" Fabric B

2½" Fabric A

5" Background Fabric







NOTE: Use a smaller stitch on your machine and press seams open!

STRIP SETS

STRIP SET 4:

51/2" Background Fabric

21/2" Fabric A

21/2" Fabric B

21/2" Fabric C

21/2" Fabric D

21/2" Fabric D

21/2" Fabric C

21/2" Fabric B

21/2" Fabric A

51/2" Background Fabric

STRIP SET 5:

6" Background Fabric

21/2" Fabric A

21/2" Fabric B

21/2" Fabric C

21/2" Fabric D

11/2" Fabric E (or cut 1" off width of Strip)*

11/2" Fabric F (or cut 1" off width of Strip)*

11/2" Fabric F (or cut 1" off width of Strip)*

11/2" Fabric E (or cut 1" off width of Strip)*

21/2" Fabric D

21/2" Fabric C

21/2" Fabric B

21/2" Fabric A

6" Background Fabric

STRIP SET 6:

7" Background Fabric

21/2" Fabric A

21/2" Fabric B

21/2" Fabric C

21/2" Fabric D

21/2" Fabric E

2½" Fabric F

2½" Fabric G

2½" Fabric G 2½" Fabric F

2½" Fabric E

21/2" Fabric D

21/2" Fabric C

21/2" Fabric B

21/2" Fabric A

7" Background Fabric

STRIP SET 7:

This strip set is made with half of a width of fabric @20".

4½" Background(x 20")

2½" Fabric A (x20")

21/2" Fabric B (x 20")

2½" Fabric C

21/2" Fabric D

2½" Fabric E

2½" Fabric F

2½" Fabric G

2½" Fabric A

21/2" Fabric A

21/2" Fabric G

21/2" Fabric F

2½" Fabric E

2½" Fabric D

2½" Fabric C

2½" Fabric B

2½" Fabric A

41/2" Background





NOTE: Watch out! Tricky strip set!





NOTE: This strip set is made smaller in length because it is only used once in each diamond.

Cut the following Segments from the Strip Sets:

16 - 2" Segments of Strip Set 1

16 - 2" Segments of Strip Set 2

16 - 1¾" Segments of Strip Set 3

16 - 13/4" Segments of Strip Set 4

16 - 13/4" Segments of Strip Set 5


16 - 1¾" Segments of Strip Set 6

8 - 1¾" Segments of Strip Set 7




PIECING THE DIAMONDS

• Sew together the Strip Set Segments in Numerical Order up to Strip Set 7 and then Mirror Image the Strip Set pieces. Only Seam to line up is the center seam!!!



MAKING DIAMOND TEMPLATES

• Lay a tri-fold presentation board flat. Draw two horizontal parallel lines 15" apart. Line up the 45 degree line of the ruler with one of the lines, making sure the end of the ruler forms a point for the diamond on the presentation board (not on your table:) Draw a 45 degree line between the two parallel lines, following the ruler. Measure 15" from that drawn diagonal line, draw a second line.




• With large rotary cutter (and an old blade), Cut diamond out on all drawn lines.

3 | Madison's Star Banyan Batiks Studio

MAKING DIAMOND TEMPLATES


 Lay template on top of pieced diamond, using a ruler lined up with the edge of the template, and a large rotary cutter, trim off excess from each diamond.




NOTE: This bargello is pieced to give the illusion of a concave curve in the side of the diamond and a negativespace star/flower in the center of the larger star. The background fabric is included in the piecing of the diamonds to achieve that look.

PIECING THE CENTER STAR


• On the reverse side of the diamonds, mark an "X" to indicate the ¼" seam allowances crossovers on each corner of the diamond. This will help with accuracy when piecing in the corner squares.



- Out of Setting Fabric Cut:
 - 1 31" Square
 - 4 21½" squares
- Cut 31" Square diagonally twice for (4) setting triangles
- Mark a ¼" X on the corners of all the setting pieces.



- Assemble the star into 4 units made up of (2) diamonds and (1) Setting Square.
 - 1. Sew the diamonds together first, pinning to match up ¼" X's. Sew to marked X, backstitching at the X. Press seam open.
 - 2. Sew one side of the square to diamond, starting with the X at point B.
 - 3. Sew the other side of the square to the diamond, starting with the X at point B.
- Sew points A. to B. first
- Sew points B. to C. second
- Sew points B. to D. last




4 | Madison's Star Banyan Batiks Studio

 Assemble the 4 units into the star, sewing in the triangles the same way--marking the corner X's, starting at point A. going to point B, pressing, starting at point B, going to point C, then point B to point D.

QUILT BORDERS

- Measure length of quilt across center.
- Cut 4½" strips WOF. Sew on side borders.
- Press
- Measure quilt across width.
- Cut 4½" strips WOF.
- Sew on top and bottom borders. Press.

NOTE: To elongate this quilt to fit a standard bed size, use the leftover 2½" strips and strip sets to make a piano key border. Measure across width of quilt, subtract the ½", divide measurment by 2 and that is amount of strips needed for each width.



5 | Madison's Star Banyan Batiks Studio