
CRAZY FOR CAMO by Northcott Studio





RAILWAY CROSSING

FREE PATTERN • By Northcott Studio

Finished Size: 54" x 66"

Railway Crossing

Featuring the *Crazy for Camo* Collection by Northcott

Shown in 2 Colorways – Blue Gray / Green Brown

Finished Size: 54" x 66" WOF = width of fabric

Fabric requirements		Yardage	Cutting Instructions
Fabric A	24241-44 / 24238-74	1 yd	Cut 5 – 6 ½" x WOF strips • Sub cut 30 – 6 ½" x 6 ½" squares (Block 1's)
Fabric B	24238-94 / 24238-36	7/8 yd	Cut 4 – 6 ½" x WOF strips • Sub cut 20 – 6 ½" x 6 ½" squares (Block 2's)
Fabric C	24240-99 / 24241-36	1 yd	Cut 5 – 6 ½" x WOF strips • Sub cut 49 – 6 ½" x 3 ½" rectangles
Fabric D	9000-93 / 9000-14	5/8 yd	Cut 3 – 6 ½" x WOF strips • Sub cut 49 – 6 ½" x 2" rectangles
Fabric E	9000-910 / 9000-123	5/8 yd	Cut 3 – 6 ½" x WOF strips • Sub cut 49 – 6 ½" x 2" rectangles
Fabric F	9000-492 / 9000-360	1/2 yd	Cut 7 – 2 ¼" x WOF strips (set aside for binding)
Crosswise	Backing 24241-44 / 24239-36	3 1/2 yds	Cut length of fabric in half to get 2 – 63" x WOF pieces. Sew pieces together along selvage edges to get a backing piece approximately 63" x 84".

BLOCK 3 ASSEMBLY:

Sew a 6 $\frac{1}{2}$ " x 2" Fabric D & E rectangle to each side of a 6 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " Fabric C rectangle to complete Block 3. Repeat to make 49 Block 3's.





Blue Gray

Green Brown

QUILT TOP ASSEMBLY:

Referring to the finished quilt image, arrange blocks in 11 rows of 9 blocks each as follows:

Row 1: Alternate Blocks 1 & 3, beginning and ending with a Block 1.

Row 2: Alternate Blocks 2 & 3, beginning and ending with a Block 3.

Repeat these two rows, beginning and ending with a Row 1, and turning the Block 3's as shown in the finished quilt image.

Sew blocks together in each row, and press seams to the right on rows 1, 3, 5, 7, 9 & 11 and to the left on rows 2, 4, 6, 8 & 10.

Join rows together to complete the quilt top.

FINISHING YOUR QUILT:

Join the $7 - 2 \frac{1}{4}$ Fabric F strips end to end using diagonal seams. Once joined, fold & press in half along the length of the stirps.

Layer the quilt top with batting and prepared backing. Quilt and bind as desired.