



FREE PATTERN • Seafood Shack Apron Set • Approx. 27" wide x 32" long Oven mitts 14" x 8" • by Elaine Theriault


Seafood Shack Apron Set

Apron Finished Size: approximately 32" long by 27" wide wof = width of fabric

Fabric requirements	Yards	Cutting Instructions
Fabric A - #22116-11 Lobsters on White	1⅓ yard	 Cut a rectangle 33" (length of the apron) by 28" (width of the apron) Cut a rectangle 11" (top and bottom) by 8" (sides) for the pocket
Fabric B - #22123-48 Blue texture Apron trim and oven mitts	1¼ yard	Cut three strips 3" by wof
Insul-Bright	½ yard	Pieces will be cut AFTER the quilting

Assembly:

- Use the cutting guide to shape the top of the apron.
- Hem all edges of the apron by turning under ¼" and then turning under ½". You may find it easier to do one side at a time. Top stitch with a matching thread.
- Making the pocket:
 - Hem the top of the pocket by turning under $\frac{1}{4}$ " and then turning under $\frac{1}{2}$ ". Top stitch with a matching thread.
 - Press under a ½" seam allowance on the remaining three sides.
 - Center the pocket on the apron, approximately 4" below the shaping on the sides.
 - Top stitch to secure the pocket in place and reinforce the top corners to ensure the stitching doesn't pull out.




- Making the neck strap and ties:
 - Fold each of the three strips in half lengthwise (wrong sides together) and press.
 - Unfold the pieces and press the two long raw edges towards the center. Fold along the center line to get a tie that measures 3/4" by the length of the strip.



- Fold in both ends of two of the ties and top stitch along all edges. If you wish to make the ties shorter, trim them to the desired length before you fold in the ends.
- Attach one end of each tie to the side of the apron at the point of the shaping of the upper section.
- From the remaining strip, cut a piece that measures 19" (it's a good idea to try the apron on to see what length is appropriate. Fold the ends in and top stitch on all sides. Attach the ends to each corner of the apron bib, being careful not to twist the neck strap.

NOTE: It is best to NOT prewash preprinted fabrics such as panels and border prints. Fabrics go through many manufacturing processes and there may be some size variations. If you're unable to cut the strips to the size mentioned above, cut the pieces to a size that works for your panels and adjust any other measurements accordingly.



Use this line as shoulder cutting quide

Seafood Shack Oven Mitts Set

Oven Mitts Finished Size: 14" by 8 " wof = width of fabric

Fabric requirements	Yards	Cutting Instructions
Fabric A - #22123-48 Blue texture Apron trim and oven mitts	1⅓ yard	 Cut 1 strip 2 ½" by wof (for binding and tabs) Main pieces will be cut AFTER the quilting
Insul-Bright	½ yard	Pieces will be cut AFTER the quilting

Assembly:

- Layer the Insul-Bright between the fabrics. Quilt as desired.
 - Suggestion: quilt a grid using diagonal lines in both directions it's easy and fast.
- Cut out the paper template for the Seafood Shack mitt and tape together at the join.
- Using the template, cut FOUR pieces from the quilted fabric. Make sure that you cut two pieces, right side up, then flip the template over and cut two reversed.
- Prepare a tab for hanging by cutting TWO pieces (2" by 4") from the 2 ½" strip of Fabric B.
 - Fold each piece in half lengthwise and press. Unfold the pieces and press the two long raw edges towards the center. Fold along the center line to get a small tab that measures ½" by 4". Top stitch along the length of the tab.



- Fold the tab in half and place it on the right side of the Seafood Shack mitt facing IN. Note the placement guide on the paper template.
- For each of the Seafood Shack mitts, place two pieces right sides together. Stitch around the edges using a ¼" seam allowance. Clip the curves and corner. Finish the raw edges of the seams. Turn right side out and press well.
- Fold the remainder of the 2 ½" strip in half lengthwise to create the binding. Sew the binding to the outer edge of each Seafood Shack mitt.

NOTE: It is best to NOT prewash preprinted fabrics such as panels and border prints. Fabrics go through many manufacturing processes and there may be some size variations. If you're unable to cut the strips to the size mentionedabove, cut the pieces to a size that works for your panels and adjust any other measurements accordingly.

