

Spinning Stars

FREE DOWNLOAD PATTERN

46" x 58"



Downtown



Streetscape












Designed by Banyan Batiks Studio
www.BanyanBatiks.com

SPINNING STARS

46" x 58"


Featuring the **City Spirit** Collection by Banyan Batiks
Two Colorways – Downtown & Streetscape
By Banyan Batiks Studio

Fabric Requirements & Cutting Instructions:

Colorway: Downtown / Streetscape	Yardage	Cutting Instructions
Fabric A – 83060-86 / 83060-98 	3/4 yd	Cut 1 – 3" x WOF strip ➤ Sub-cut 12 – 3" squares Cut 2 – 2 ½" x WOF strips ➤ Sub-cut 10 – 2 ½" x 4 ½" rectangles & 12 – 2 ½" squares Cut 6 – 2 ½" x WOF strips; Set aside for Binding
Fabric B – 83061-59 / 83061-87  Fabric C 83061-86 / 83062-47  Fabric D – 83062-58 / 83062-62  Fabric E – 83062-61 / 83063-23  Fabric F – 83062-82 / 83063-44  Fabric G – 83063-59 / 83063-82  Fabric H – 83064-58 / 83064-61 	3/8 yd each	From each fabric, Cut 1 – 3" x WOF strip ➤ Sub-cut 12 – 3" squares Cut 1 – 4 ½" x WOF strip ➤ Sub-cut 10 – 4 ½" x 2 ½" rectangles
Fabric J – 81201-10 / 81205-10 	2 yds	Cut 4 – 5 ½" x WOF strips ➤ Sub-cut 24 – 5 ½" squares Cut 19 – 2 ½" x WOF strips ➤ Sub-cut 80 – 2 ½" x 4 ½" rectangles, 20 – 2 ½" squares and 31 – 2 ½" x 10 ½" strips
Crosswise Backing – 83062-82 / 83062-62 	3 ½ yds	Cut in half across the length of the fabric to get 2 – 63" x WOF pieces. Join the two pieces along the selvage edges using a ½" seam.

Flying Geese Assembly: (4-at-a-Time Method)

1. Lay out a 5 ½" Fabric J square and 4 – 3" Fabric A squares. Using the 4-at-a-Time Method, make four Flying Geese Unit A's. Repeat twice to make 12 Unit A's. (You will only need 10 Units.) Trim each unit to 2 ½" x 4 ½" if necessary.



2. Repeat Step 1, pairing the remaining 5 ½" Fabric J squares with the 3" Fabric B – H squares to make 12 Unit B's, 12 Unit C's, etc.

Block Assembly:

1. Sew a 2 ½" x 4 ½" Fabric A rectangle to each of the Flying Geese Unit A's as shown.

2. Then sew a 2 ½" x 4 ½" Fabric J rectangle to the right-hand side to complete Unit A. Repeat for Units B - H made above.



3. Referring to the finished quilt image, or to your liking, arrange four Flying Geese Units and one 2 ½" Fabric J square as shown.



4. Following the Partial Seams Diagrams below, sew units together to complete the block.




Diagram 1




Diagram 2




Diagram 3




Diagram 4




Diagram 5




Diagram 6

5. Repeat Steps 3 & 4 to make 20 blocks.

Quilt Top Assembly:

1. Referring to the finished quilt image, or to your liking, arrange blocks into five rows of four blocks each.
2. Sew blocks in each row together, adding a 2 ½" x 10 ½" Fabric J sashing strip between each block.



3. To make the horizontal sashing strips, sew 3 – 2 ½" x 10 ½" Fabric J sashing strips together, adding a 2 ½" Fabric A square between each strip.



4. Sew rows together with a horizontal sashing strip between each row to complete the quilt top.
5. Join Fabric A binding strips together using diagonal seams. Fold in half, wrong sides together, along the length of the strip and press.
6. Layer quilt top with batting and backing. Quilt as desired. Bind using your favorite method.