



NORTHCOTT
Cottons that feel like silk



FREE PATTERN • **Unicorn Illusion** • 73" x 80½"
by Patti Carey using **Artisan Spirit Imagine** by Northcott

Northcott Canada
101 Courtland Avenue
Vaughan, Ontario L4K 3T5

Northcott USA
1050 Valley Brook Ave
Lyndhurst, NJ 07071

www.northcott.com

Unicorn Illusion

Skill level: Easy

Finished Size: 73" x 80½"

Cutting Instructions: wof = width of fabric

| Fabric requirements | Yards | Cutting Instructions |
|---|---------|--|
| Fabric A - Unicorn panel #DP22563-44 (49" x 42") | 1 panel | • Trim to 42" wide and square up top and bottom edges. |
| Fabric B - Multi-color coordinate #DP22476-44 | 1½ yard | • Trim to 42" wide and cut into 2 equal lengths approx. 17" long. |
| Fabric C - Charcoal solid #9000-940 | ¾ yard | • Cut 4 strips 6" x wof; join end-to-end in pairs and trim to 80½". |
| Fabric D - Dark grey solid #9000-93 | ⅝ yard | • Cut 4 strips 5" x wof; join end-to-end in pairs and trim to 80½". |
| Fabric E - grey solid #9000-92 | ⅝ yard | • Cut 4 strips 4" x wof; join end-to-end in pairs and trim to 80½". |
| Fabric F - Light grey solid #9000-910 | ½ yard | • Cut 4 strips 3" x wof; join end-to-end in pairs and trim to 80½". |
| Fabric G - Pale grey solid #9000-900 | ⅓ yard | • Cut 4 strips 2" x wof; join end-to-end in pairs and trim to 80½". |
| Fabric H - White solid #9000-10 | ⅓ yard | • Cut 4 strips 2" x wof; join end-to-end in pairs and trim to 80½". |
| Fabric I - Black solid #9000-99 | ⅞ yard | • Cut 8 strips 2" x wof; join end-to-end, press in half and reserve for binding. • Cut 1 strip 6" x wof; cut into (4) 6" squares, (4) 4" squares & (4) 2" squares. • Cut 1 strip 5" x wof; cut into (4) 5" squares, (4) 3" squares & (4) 1" squares. |
| Backing | 5 yards | • Cut into 2 equal lengths and join selvage-to-selvage. |

General Piecing: All seams are ¼" unless noted. Press seams toward darker fabric unless noted.

Piecing:

1. Lay a 6" Fabric I square on each end of the 80½" Fabric C units; sew diagonally as shown, trim ¼" from sewing line and press.



2. Repeat with the 5" Fabric I squares and the Fabric D units, the 4" Fabric I squares and the Fabric E units, the 3" Fabric I squares and the Fabric F units, the 2" Fabric I squares and the Fabric G units, and the 1" Fabric I squares and the Fabric H units.

3. Sew a Fabric B piece to top and bottom edges of the Fabric A panel and trim to 80½".

4. Starting at left edge, cut the panel lengthwise into the following strips in the order indicated:

1½" 2½" 3½" 4½" 5½" 7" 5½" 4½" 3½" 2½" 1½"

5. Using the photo and diagram as a guide, arrange the panel strips alternately with the Fabric C-H strips, starting and ending with the Fabric C strips. Sew together, sewing with the panel strips on top. Press seams toward Fabrics C-H.



