

Eggs on Toast



BANYAN
BATIKS
STUDIO

Eggs on Toast

52" x 64"

CONFIDENT BEGINNER LEVEL

Pattern uses fabrics from Banyan Batiks' Shadows collection.

NOTE: Skus are listed for the blue version first; brown version last.

	YDS
Fabric A: 81300-44, 81300-35 <i>(includes outer border)</i>	1 ⅓
Fabric B: 81300-91, 81300-74 <i>(includes inner border)</i>	¾
Fabric C: 81300-99, 81300-77 <i>(includes binding)</i>	1 ¼
Fabric D: 81300-85, 81300-25	⅝
Fabric E: 81300-87, 81300-79	⅝
Fabric F: 81300-92, 81300-78	⅝
Fabric G: 81300-93, 81300-36	⅝
Fabric H: 81300-43, 81300-91	⅝
Fabric I: 81300-46, 81300-92	⅝
Fabric J: 81300-48, 81300-93	⅝
Crosswise Backing	3 ½

Other requirements:

60" x 72" batting, neutral-color thread for piecing, thread to match fabrics for appliqué, template material and 3 yards 18"-wide fusible web (optional for fusible appliqué)

Eggs on Toast

52" x 64"


CUTTING INSTRUCTIONS

- WOF is width of fabric from selvage edge to selvage edge. Remove as little fabric as possible when trimming selvages and squaring strip ends.

Fabric A	<ul style="list-style-type: none"> • 1 strip 12 1/2" x WOF; cut into (1) 12 1/2" x 19 7/8" strip for triangles Use remainder of strip for appliqué (see instructions) • 6 strips 4 1/2" x WOF for outer border
Fabric B	<ul style="list-style-type: none"> • 1 strip 12 1/2" x WOF; cut into (1) 12 1/2" x 19 7/8" strip for triangles. Use remainder of strip for appliqué (see instructions) • 3 strips 1 1/2" x WOF for inner side borders • 2 strips 1 1/2" x WOF; trim to 38 1/2" for inner top/bottom borders
Fabric C	<ul style="list-style-type: none"> • 1 strip 12 1/2" x WOF; cut into (1) 12 1/2" x 19 7/8" strip for triangles. Use remainder of strip for appliqué (see instructions) • 1 strip 3 1/2" x WOF; cut into (1) 3 1/2" x 7 1/2" rectangle, (2) 3 1/2" x 6 1/2" rectangles and (4) 3 1/2" squares for pieced border • 7 strips 2 1/4" x WOF for binding
Fabrics D-J	<ul style="list-style-type: none"> • 1 strip 12 1/2" x WOF from each fabric; cut into (1) 12 1/2" x 19 7/8" strip for triangles. Use remainder of strip for appliqué (see instructions) • 1 strip 3 1/2" x WOF from each fabric; cut all strips into a total of (3) 3 1/2" x 7 1/2", (16) 3 1/2" x 6 1/2" and (8) 3 1/2" x 5 1/2" rectangles for pieced border
Backing of Choice	<ul style="list-style-type: none"> • 2 strips 60" x WOF

PREPARING THE TRIANGLES


1. Place the Fabric B $12\frac{1}{2}" \times 19\frac{7}{8}"$ strip right side up on your cutting mat. Place the Fabric A strip right side up on top. Beginning at the top left corner of the A strip, measure over and mark $6\frac{1}{4}"$ on the top edge. Measure over and mark $\frac{1}{4}"$, then $12\frac{7}{8}"$ as shown. Beginning at the bottom left corner, measure over and mark $12\frac{7}{8}"$ on the bottom edge, then $\frac{1}{4}"$.



NOTE: Diagrams are shown for the blue version of the quilt. The brown quilt is made in the same way


2. Align all edges of the layered strips. Cut from the bottom left corner to the top $6\frac{1}{4}"$ mark to trim off the left end of the strip; discard trimmed-off piece. Cut from the top $\frac{1}{4}"$ mark to the bottom $12\frac{7}{8}"$ mark to cut one layered triangle. Cut from the bottom $\frac{1}{4}"$ mark to the top $12\frac{7}{8}"$ mark to cut a second layered triangle to make two triangles each of Fabrics A and B. Discard the remainder at the right end of the strip.

CUT 2 TRIANGLES EACH FABRICS A & B




3. Choose a $12\frac{1}{2}" \times 19\frac{7}{8}"$ strip from Fabrics C–J. Repeat step 1 to mark the strip. Layer the marked strip with three other strips right side up on your cutting mat, aligning all edges of the strips. Repeat step 2 to cut two triangles of each of the four fabrics, except save the half-triangle at the right end of each strip to use as side triangles.

CUT 2 TRIANGLES & 1 SIDE TRIANGLE FROM EACH OF 4 FABRICS



4. Choose one of the remaining $12\frac{1}{2}" \times 19\frac{7}{8}"$ strips. Beginning at the bottom left corner, measure over and mark $6\frac{1}{4}"$ on the bottom edge. Measure over and mark $1\frac{1}{4}"$, then $12\frac{7}{8}"$ on the bottom edge as shown. Beginning at the top left corner, measure over and mark $12\frac{7}{8}"$ on the top edge, then $1\frac{1}{4}"$.
5. Layer the marked strip with the 3 remaining strips right side up on your cutting mat, aligning all edges of the strips.
 1. Cut from the top left corner to the bottom $6\frac{1}{4}"$ mark
 2. Cut from the bottom $1\frac{1}{4}"$ mark to the top $12\frac{7}{8}"$ mark
 3. Cut from the top $1\frac{1}{4}"$ mark to the bottom $12\frac{7}{8}"$ mark to cut 2 triangles from each strip
 4. Save the half-triangle at the right end of each strip to use as reverse side triangles

CUT 2 TRIANGLES & 1 REVERSE SIDE TRIANGLE FROM EACH OF 4 FABRICS




ADDING THE APPLIQUÉ

1. Prepare templates for the Egg and Yolk pieces using the full-size templates on the last page.
2. Follow instructions (below) to prepare pieces for appliqué for your chosen method. Then proceed to step 3.

FUSIBLE APPLIQUÉ

- a. Trace 20 egg and 20 yolk pieces on the paper side of fusible web, leaving 1/2" between each shape. Cut out leaving a margin around each piece.
- b. To reduce stiffness from the fusible web, cut out the middle of each piece, leaving a 1/2" to 3/4" border inside the marked outline all around, as shown below.




- c. Remove the unmarked paper liner, if applicable to your fusible web.
- d. Arrange 2 eggs and 2 yolks on the wrong side of the remainder of each 12 1/2" fabric strip. Fuse in place referring to the manufacturer's instructions.
- e. Cut out the pieces on the marked lines. Remove paper liner.

TURNED-EDGE APPLIQUÉ


- a. Trace 2 eggs and 2 yolks on the right side of the remainder of each 12 1/2" fabric strip, leaving 1/2" between each shape.
- b. Cut out each piece, adding approximately 1/4" beyond the marked lines all around for seam allowance.
- c. Turn seam allowance under around each piece. Press or baste to hold.

3. Fold each triangle in half lengthwise and lightly finger-press to mark the centerline. Repeat with the egg pieces. Do not press the fusible pieces with an iron.
4. Center an egg on each triangle about 5/8" above the bottom edge of the triangle. Fuse or pin in place.



5. Hand- or machine-stitch around each egg using stitch of choice and matching thread.
6. Fuse or pin a yolk in place on each egg. Repeat step 5 to appliqué the yolks.

COMPLETING THE QUILT



NOTE: Use a 1/4" seam allowance for all piecing. Refer to the exploded quilt diagram as needed

1. Arrange the appliquéd triangles in 4 rows to make a pleasing balance of color. Add a side triangle at one end and a reverse side triangle at the opposite end of each row.
2. Sew the pieces in each row together to make (4) 12 1/2" x 36 1/2" rows. Press seams open.
3. Join the rows to complete the 36 1/2" x 48 1/2" quilt center. Press seams to one side.
4. Sew the 1 1/2" x WOF Fabric B side border strips short ends together to make a long strip. Press seams to one side. Cut into (2) 48 1/2" strips. Stitch the strips to the long sides of the quilt center. Press seams toward the strips. Sew the 1 1/2" x 38 1/2" Fabric B strips to the top and bottom. Press seams toward the strips.
5. Select (2) 3 1/2" x 7 1/2" rectangles and (6) 3 1/2" x 6 1/2" rectangles for the left pieced border. Join the two longer rectangles on the short ends. Add three shorter rectangles to each end. Press seams to one side to complete the 3 1/2" x 48 1/2" border. Repeat to make the right pieced border. Stitch the borders to the long sides of the quilt center. Press seams toward the quilt center.
6. Select (3) 3 1/2" x 6 1/2" rectangles, (4) 3 1/2" x 5 1/2" rectangles and (2) 3 1/2" Fabric C squares for the top pieced border. Join the three longer rectangles on the short ends. Add two shorter rectangles to each end. Press seams to one side. Stitch a 3 1/2" square to each end to make the 3 1/2" x 44 1/2" top border. Press seams toward the squares. Repeat to make the bottom pieced border. Sew the borders to the top and bottom of the quilt center. Press seams toward the quilt center.
7. Stitch the 4 1/2" x WOF Fabric A strips short ends together to make a long strip. Press seams to one side. Cut into (2) 56 1/2" strips and (2) 52 1/2" strips. Sew the longer strips to the long sides of the quilt center and the shorter strips to the top and bottom to complete the top. Press seams toward the strips.
8. Remove the selvage edges from the backing pieces. Sew together on the long edges with a 1/2" seam allowance. Press seam open. Trim to make a 60" x 72" backing piece with a horizontal seam.
9. Layer the top with the backing and batting pieces. Quilt as desired. Trim edges even with the top.
10. Prepare Fabric C binding and bind edges using your favorite method to complete the quilt.

